

Bibliografia

- ABBATE, L. e ROMA, P. (2014). *Manuale per l'interpretazione e nuove prospettive di utilizzo*. Milano: Raffaello Cortina.
- ALBRECHT, N.N., TALBERT, F.S., ALBRECHT, J.W., BOUDEWYNS, P.A., HYER, L.A., TOUZE, J., et al. (1994). A comparison of MMPI and MMPI-2 in PTSD assessment. *Journal of Clinical Psychology*, 50, 578-585.
- ALFANO, D.P., PANIAK, C.E. e FINLAYSON, M.A. (1993). The MMPI and closed head injury: A neurocorrective approach. *Neuropsychiatry, Neuropsychology, and Behavioral Neurology*, 6, 111-116.
- ALPERIN, J.J., ARCHER, R.P. e COATES, G.D. (1996). Development and effects of an MMPI-A K-correction procedure. *Journal of Personality Assessment*, 67, 155-168.
- ANDERSON, J.C. e DUCKWORTH, W.P. (1995). *MMPI and MMPI-2: Interpretation Manual for Counselors and Clinicians*. Bristol (PA): Taylor & Francis.
- ARBISI, P.A. (2006). Use of the MMPI-2 in personal injury and disability evaluations. In J.N. Butcher (a cura di), *MMPI-2: A practitioner's guide*. Washington, DC: American Psychological Association.
- ARBISI, P.A. e BEN-PORATH, Y.S. (1995). An MMPI-2 infrequency scale for use with psychopathological populations: The Infrequency-Psychopathology Scale, *F(p)*. *Psychological Assessment*, 7, 424-431.
- ARBISI, P.A. e BEN-PORATH, Y.S. (1997). Characteristics of the MMPI-2 *F(p)* scale as a function of diagnosis in an inpatient sample of veterans. *Psychological Assessment*, 9, 102-105.
- ARBISI, P.A. e BEN-PORATH, Y.S. (1998). The ability of the Minnesota Multiphasic Personality Inventory-2 validity scales to detect fake-bad responses in psychiatric inpatients. *Psychological Assessment*, 10, 231-228.
- ARBISI, P.A. e BUTCHER, J.N. (2004). Psychometric perspectives on detection of malingering of pain: The use of the MMPI-2. *Clinical Journal of Pain*, 20, 383-398.
- ARBISI, P.A. e BUTCHER, J.N. (2004). Relationship between personality and health symptoms: Use of the MMPI-2 in medical assessments. *International Journal of Health and Clinical Psychology*, 4, 571-595.
- ARBISI, P.A. e SEIME, R.J. (2006). Use of the MMPI-2 in medical settings. In J.N. Butcher (a cura di), *MMPI-2: A practitioner's guide*. Washington, DC: American Psychological Association.

ARBISI, P.A., BEN-PORATH, Y.S. e McNULTY, J. (2003). Refinement of the *F(p)* Scale is not necessary: A response to Gass and Luis. *Assessment*, 10, 123-128.

ARBISI, P.A., MURDOCH, M., FORTIER, L. e McNULTY, J. (2004). MMPI-2 validity and award of service connection for PTSD during the VA compensation and pension evaluation. *Psychological Services*, 1 (1), 56-67.

ARCE, R., DEL CARMEN PAMPILLON, M. e FARINA, F. (2002). *Desarrollo y evaluacion de un procedimiento empirico para detection de la simulacion de enajenacion mental en el contexto legal*. *Anuario de Psicologia*, 33 (3), 385-408.

ARCHER, R.P. (1989). Use of the MMPI with adolescents in forensic settings. *Forensic Reports*, 2, 65-87.

ARCHER, R.P. (1997). Future directions for the MMPI-A: Research and clinical issues. *Journal of Personality Assessment*, 68 (1), 95-109.

ARCHER, R.P. (1997). *MMPI-A: Assessing adolescent psychopathology (2nd ed.)*. Hillsdale, NJ: Erlbaum.

ARCHER, R.P. e ELKINS, D.E. (1999). Identification of random responding on the MMPI-A. *Journal of Personality Assessment*, 73, 407-421.

ARCHER, R.P., FONTAINE, J. e McCRAE, R.R. (1998). Effects of two MMPI-2 validity scales on basic relations to external criteria. *Journal of Personality Assessment*, 70, 87-102.

ARCHER, R.P., GRIFFIN, R. e AIDUK, R. (1995). Clinical correlates for ten common codetypes. *Journal of Personality Assessment*, 65, 391-408.

ARCHER, R.P., HANDEL, R.W. e COUVADELLI, B. (2004). An evaluation of the incremental validity of the MMPI-2 Superlative (S) Scale in an inpatient psychiatric sample. *Assessment*, 11 (1), 102-108.

ARCHER, R.P., HANDEL, R.W., GREENE, R.L., BAER, R.A. e ELKINS, D.E. (2001). An evaluation of the usefulness of the MMPI-2 *F(p)* scale. *Journal of Personality Assessment*, 76, 282-295.

ARCHER, R.P., HANDEL, R.W., LYNCH, K.D. e ELKINS, D.E. (2002). MMPI-A validity scale uses and limitations in detecting varying levels of random responding. *Journal of Personality Assessment*, 78, 417-431.

ATLIS, M.M., HAHN, J. e BUTCHER, J.N. (2006). Computer-based assessment with the MMPI-2. In J.N. Butcher (a cura di), *MMPI-2: A practioner's guide*. Washington, DC: American Psychological Association.

AUSTIN, J.S. (1990). The detection of malingering in forensic inpatients: A look at the MMPI and MCMI. *Dissertation Abstracts International*, 50, 1981.

AUSTIN, J.S. (1992). The detection of fake good and fake bad on the MMPI-2. *Educational and Psychological Measurement*, 52, 669-674.

BACCHIOCHI, J.R. e BAGBY, R.M. (2003). *Development of the malingering discriminant function index (M-DFI)*. Relazione presentata al 38° Simposio annuale su MMPI-2 e MMPI-A, Minneapolis, MN.

BACCHIOCHI, J.R. e BAGBY, R.M. (2004). *Validation of the Malingering Discriminant Function (MDFI) for the MMPI-2*. Relazione presentata al Midwinter Meeting 2004 della Society for Personality Assessment, Miami, FL.

BAER, R.A. e MILLER, J. (2002). Underreporting of psychopathology on the MMPI-2: A meta-analytic review. *Psychological Assessment, 14*, 16-26.

BAER, R.A. e SEKIRNJAK, G. (1997). Detection of underreporting on the MMPI-2 in a clinical population: Effects of information about validity scales. *Journal of Personality Assessment, 69*, 555-567.

BAER, R.A., BALLENGER, J. e KROLL, L.S. (1998). Detection of underreporting on the MMPI-A in clinical and community samples. *Journal of Personality Assessment, 71* (1), 98-113.

BAER, R.A., BALLENGER, J., BERRY, D.T.R. e WETTER, M.W. (1997). Detection of random responding on the MMPI-A. *Journal of Personality Assessment, 68*, 139-151.

BAER, R.A., KROLL, L.S., RINALDO, J. e BALLENGER, J. (1999). Detecting and discriminating between random responding and overreporting on the MMPI-A. *Journal of Personality Assessment, 72*, 308-320.

BAER, R.A., WETTER, M.W. e BERRY, D.T.R. (1992). Detection of underreporting of psychopathology on the MMPI: A meta analysis. *Clinical Psychology Review, 12*, 509-525.

BAER, R.A., WETTER, M.W. e BERRY, D.T.R. (1995). Effects of information about validity scales on underreporting of symptoms on the MMPI-2: An analog investigation. *Assessment, 2*, 189-199.

BAGBY, R.M. e MARSHALL, M.B. (2004). Assessing underreporting response bias on the MMPI-2. *Assessment, 11*, 115-126.

BAGBY, R.M. e MARSHALL, M.B. (2004). Assessing underreporting response bias on the MMPI-2. *Assessment, 11*, 115-126.

BAGBY, R.M., MARSHALL, M.B., BASSO, M.R., NICHOLSON, R.A., BACCHIOCHI, J. e MILLER, L.S. (2005). Distinguishing bipolar depression, major depression, and schizophrenia with the MMPI-2 clinical and content scales. *Journal of Personality Assessment, 84*, 89-95.

BAGBY, R.M., MARSHALL, M.B., BURY, A.B. e BACCHIOCHI, J.R. (2006). Assessing underreporting and overreporting response style on the MMPI-2. In J.N. Butcher (a cura di), *MMPI-2: A practitioner's guide*. American Psychological Association, Washington, DC.

BAGBY, R.M., NICHOLSON, R.A. e BUIS, T. (1998). Utility of the Deceptive-Subtle items in the detection of malingering. *Journal of Personality Assessment, 70*, 405-415.

BAGBY, R.M., NICHOLSON, R.A., BACCHIOCHI, J.R., RYDER, A.G. e BURY, A.S. (2002). The predictive capacity of the MMPI-2 and PAI validity scales and indexes to detect coached and uncoached feigning. *Journal of Personality Assessment, 78*, 69-86.

BAGBY, R.M., NICHOLSON, R.A., BUIS, T., RADOVANOVIC, H. e FIDLER, B.J. (1999). Defensive responding on the MMPI-2 in family custody and access evaluations. *Psychological Assessment, 11*, 24-28.

BAGBY, R.M., NICHOLSON, R.A., ROGERS, R., BUIS, T., SEEMAN, M.V. e RECTOR, N.A. (1997). Effectiveness of the MMPI-2 validity indicators in the detection of defensive responding in clinical and nonclinical samples. *Psychological Assessment*, 9, 406-413.

BAGBY, R.M., ROGERS, R. e BUIS, T. (1994). Detecting malingered and defensive responding on the MMPI-2 in a forensic inpatient sample. *Journal of Personality Assessment*, 62, 191-203.

BAGBY, R.M., ROGERS, R., BUIS, T. e KALEMBA, V. (1994). Malingered and defensive response styles on the MMPI-2: An examination of validity scales. *Assessment*, 1, 31-38.

BAGBY, R.M., ROGERS, R., BUIS, T., NICHOLSON, R.A., CAMERON, S.L., RECTOR, N.A., SCHULLER, D.R. e SEEMAN, M.V. (1997). Detecting feigned depression and schizophrenia on the MMPI-2. *Journal of Personality Assessment*, 68, 650-664.

BAGBY, R.M., ROGERS, R., NICHOLSON, R. e BUIS, T. (1997). Does clinical training facilitate feigning schizophrenia on the MMPI-2? *Psychological Assessment*, 9, 106-112.

BAGBY, R.M., ROGERS, R., NICHOLSON, R.A., BUIS, T., SEEMAN, M.V. e RECTOR, N.A. (1997). Effectiveness of the MMPI-2 validity indicators in the detection of defensive responding in clinical and nonclinical samples. *Psychological Assessment*, 9, 406-413.

BAGDADE, P.S. (2004). Malingering on the MMPI-A: An investigation of the standard validity scales and the Infrequency-Psychopathology Scale-Adolescent version (*Fp-A*). *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 64 (7-B), 3513.

BANNATYNE, L.A. (1997). The effects of defensiveness on select MMPI-2 and Rorschach variables for schizophrenic forensic patients. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 57, 4773.

BANNATYNE, L.A., GACONO, C.B. e GREENE, R.L. (1999). Differential patterns of responding among three groups of chronic, psychotic, forensic outpatients. *Journal of Clinical Psychology*, 55, 1553-1565.

BARTHLOW, D.L., GRAHAM, J.R., BEN-PORATH, Y.S. e McNULTY, J.L. (1999). Incremental validity of the MMPI-2 content scales in an outpatient mental health setting. *Psychological Assessment*, 11, 39-47.

BARTHLOW, D.L., GRAHAM, J.R., BEN-PORATH, Y.S. e McNULTY, J.L. (2004). Construct validity of the MMPI-2 college maladjustment (*Mt*) scale. *Assessment*, 11 (3), 251-262.

BARTHLOW, D.L., GRAHAM, J.R., BEN-PORATH, Y.S., TELLEGEN, A. e McNULTY, J.L. (2002). The appropriateness of the MMPI-2 K correction. *Assessment*, 9 (3), 219-229.

BATHURST, K., GOTTFRIED, A.W. e GOTTFRIED, A.E. (1997). Normative data for the MMPI-2 in child litigation. *Psychological Assessment*, 9, 205-211.

BEN-PORATH, Y.S. (2003). Introducing the MMPI-2 Restructured Clinical (*RC*) Scales. *SPA Exchange*, 15, 16-17, 23.

BEN-PORATH, Y.S. (2012). *Interpreting the MMPI-2-RF*. Minneapolis, MN: University of Minnesota Press.

BEN-PORATH, Y.S. e FORBEY, J.D. (2003). *Non-gendered norms for the MMPI-2*. University of Minnesota Press, Minneapolis.

BEN-PORATH, Y.S. e GRAHAM, J. (1995). Scientific bases of forensic applications of the MMPI-2. In Y.S. Ben-Porath, J. Graham, G. Hall, R. Hirschman e M. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.

BEN-PORATH, Y.S. e KAEMMER, B. (1992). *MMPI-A. Manual for administration, scoring, and interpretation*. Minneapolis, MN: University of Minnesota Press, (ad. it.: a cura di S. Sirigatti e P. Pancheri. O.S. Organizzazioni Speciali. Firenze, 2001).

BEN-PORATH, Y.S. e TELLEGEN, A. (1992). Continuity and changes in MMPI-2 validity indicators: Points of clarification. *MMPI-2 News & Profiles*, 3 (2), 6-8.

BEN-PORATH, Y.S., BUTCHER, J.N. e GRAHAM, J.R. (1991). Contribution of the MMPI-2 scales to the differential diagnosis of schizophrenia and major depression. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 634-640.

BEN-PORATH, Y.S., McCULLY, E. e ALMAGOR, M. (1993). Incremental validity of the MMPI-2 content scales in the assessment of personality and psychopathology by self-report. *Journal of Personality Assessment*, 61, 557-575.

BERRY, D.T., BAER, R.A. e HARRIS, M.J. (1991). Detection of malingering on the MMPI: A meta-analysis. *Clinical Psychology Review*, 11, 585-591.

BERRY, D.T.R., WETTER, M.W., BAER, R.A., LARSEN, L., CLARK, C. e MONROE, K. (1992). MMPI-2 random responding indices: Validation using a self-report methodology. *Psychological Assessment* 4, 340-345.

BERRY, D.T.R. (1995). Detecting distortion in forensic evaluations with the MMPI-2. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.

BERRY, D.T.R., ADAMS, J.J., SMITH, G.T., GREENE, R., SEKIMJAK, G.C., WIELAND, G., et al. (1997). MMPI-2 clinical scales and two-point codes: Impact of varying levels of omitted items. *Psychological Assessment*, 9, 158-160.

BERRY, D.T.R., BAER, R.A., RINALDO, J.C. e WETTER, M.W. (2002). Assessment of malingering. In J.N. Butcher (a cura di), *Clinical personality assessment: Practical approaches (2nd ed.)*. New York: Oxford University Press.

BERRY, D.T.R., CIMONO, C.R., CHONG, N.K., LAVELLE, S.H., IVY, K., MORSE, T.L., et al. (2001). MMPI-2 fake-bad scale: An attempted cross-validation of proposed cutting scores for outpatients. *Journal of Personality Assessment*, 76, 296-314.

BERRY, D.T.R., WETTER, M.W., BAER, R.A., WIDIGER, T.A., SUMPTER, J.C., REYNOLDS, S.K. e HALLAM, R.A. (1991). Detection of random responding on the MMPI-2: Utility of *F*, back *F*, and *VRIN* scales. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 418-423.

BERRY, D.T.R., WETTER, M.W. e BAER, R.A. (1995). Assessment of malingering. In J.N. Butcher (a cura di), *Clinical personality assessment: Practical approaches*. New York: Oxford University Press.

BERRY, D.T.R., WETTER, M.W., BAER, R.A., WIDIGER, T.A., SUMPTER, J.C., REYNOLDS, S.K., et al. (1991). Detection of random responding on the MMPI-2: Utility of *F*, back *F*, and *VRIN* scales. *Psychological Assessment*, 3, 418-423.

- BERRY, D.T.R., WETTER, M.W., BAER, R.A., YOUNGJOHN, J., GASS, C.S., LAMB, D.G., FRANZEN, M.D., MACINNES, W.D. e BUCHOLZ, D. (1995). Overreporting of closedhead injury symptoms on the MMPI-2. *Psychological Assessment*, 7, 517-523.
- BLAKE, D.D., PENK, W.E., MORI, D.L., KLEESPIES, P.M., WALSH, S.S. e KEANE, T.M. (1992). Validity and clinical scale comparisons between the MMPI and MMPI-2 with psychiatric patients. *Psychological Reports*, 70, 323-332.
- BLANCHARD, D.D., McGRATH, R.E., POGGE, D.L. e KHADIVI, A. (2003). A comparison of the PAI and MMPI-2 as predictors of faking bad in college students. *Journal of Personality Assessment*, 80, 197-205.
- BOONE, D. (1994). Reliability of the MMPI-2 subtle and obvious scales with psychiatric inpatients. *Journal of Personality Assessment*, 62, 346-351.
- BOONE, D. (1995). Differential validity of the MMPI-2 subtle and obvious scales with psychiatric inpatients: Scale 2. *Journal of Clinical Psychology*, 51, 526-531.
- BORKHUIS, G.W. e PATALANO, F. (1997). MMPI personality differences between adolescents from divorced and non-divorced families. *Psychology-A Quarterly Journal of Human Behavior*, 34, 37-41.
- BOSQUET, M. e EGELAND, B. (2000). Predicting parent behaviors from antisocial practices content scale scores of the MMPI-2 administered during pregnancy. *Journal of Personality Assessment*, 74, 146-162.
- BRAUER, B.A. (1992). The signer effect on MMPI performance of deaf respondents. *Journal of Personality Assessment*, 58, 380-388.
- BREMS, C. e HARRIS, K. (1996). Faking the MMPI-2: Utility of the Subtle- Obvious scales. *Journal of Clinical Psychology*, 52, 525-533.
- BREMS, C. e JOHNSON, M.E. (1991). Subtle-Obvious scales of the MMPI: Indicators of profile validity in a psychiatric population. *Journal of Personality Assessment*, 56, 536-544.
- BREMS, C. e LLOYD, P. (1995). Validation of the MMPI-2 Low Self-Esteem content scale. *Journal of Personality Assessment*, 65, 550-556.
- BRODSKY, S.L. (1989). Advocacy in the guise of scientific objectivity: An examination of Faust and Ziskin. *Computers in Human Behavior*, 5, 261-264.
- BROPHY, A.L. (1995). Educational level, occupation, and the MMPI-2 *F-K* index. *Psychological Reports*, 77 (1), 175-178.
- BROPHY, A.L. (1995). *F-K* Dissimulation Index on the MMPI-2. *Psychological Reports*, 76 (1), 158.
- BROPHY, A.L. (2003). MMPI-2 *L+K* and *L+K-F* indexes of underreporting: Normative and desirable responding. *Psychological Reports*, 92 (1), 223-227.
- BROZEK, J.H. e SCHIELE, B. (1948). Clinical significance of the Minnesota Multiphasic *F* scale evaluated in experimental neurosis. *American Journal of Psychiatry*, 105, 259-266.
- BRUNETTI, D.G. (1995). The effects of faking instructions of MMPI-2 response latencies. *Dissertation Abstracts International*, 56, 2316.

- BRUNETTI, D.G., SCHLOTTMAN, R.S., SCOTT, A.B. e HOLLRAH, J.L. (1998). Instructed faking and MMPI-2 response latencies: The potential for assessing response validity. *Journal of Clinical Psychology*, 34, 143-153.
- BURY, A.S. e BAGBY, R.M. (2002). The detection of feigned uncoached and coached posttraumatic stress disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*, 14, 472-484.
- BUTCHER, J.N. (1990). Education level and MMPI-2 measured psychopathology: A case of negligible influence. *MMPI-2 News & Profiles*, 1 (2), 2.
- BUTCHER, J.N. (1990). *Use of the MMPI-2 in treatment planning*. New York: Oxford University Press.
- BUTCHER, J.N. (1990). What interpretive changes do the educational differences between the original MMPI and MMPI-2 normative samples require? *MMPI-2 News & Profiles*, 1 (1), 2.
- BUTCHER, J.N. (1992). Comparison of the original MMPI, MMPI-2, and MMPI-A. In *Topics in MMPI-2 and MMPI-A interpretation*. Minneapolis, MN: University of Minnesota.
- BUTCHER, J.N. (1994). Psychological assessment of airline pilot applicants with the MMPI-2. *Journal of Personality Assessment*, 62, 31-44.
- BUTCHER, J.N. (1995). Personality patterns of personal injury litigants: The role of computer-based MMPI-2 evaluations. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks: CA Sage.
- BUTCHER, J.N. (1996). *International adaptations of the MMPI-2: Research and clinical applications*. Minneapolis, MN: University of Minnesota Press.
- BUTCHER, J.N. (1996). *MMPI-2 e trattamento psicologico*. Firenze: Giunti O.S. Organizzazioni Speciali.
- BUTCHER, J.N. (1997). Frequency of MMPI-2 scores in forensic evaluations. *MMPI-2 News & Profiles*, 8 (1), 2-4.
- BUTCHER, J.N. (1998) *MMPI-2 e trattamento psicologico*. Firenze: Giunti Organizzazioni Speciali.
- BUTCHER, J.N. (1998). *User's guide to the Minnesota Report: Forensic settings*. Minneapolis, MN: National Computer Systems.
- BUTCHER, J.N. (1999). *A beginner's guide to the MMPI-2*. Washington, DC: American Psychological Association.
- BUTCHER, J.N. (2000). *Basic sources on the MMPI-2*. Minneapolis, MN: University of Minnesota Press.
- BUTCHER, J.N. (2000). Revising psychological tests: Lessons learned from the revision of the MMPI. *Psychological Assessment*, 12 (3), 263-271.
- BUTCHER, J.N. (2004). Personality assessment without borders: Adaptation of the MMPI-2 across cultures. *Journal of Personality Assessment*, 83 (2), 90-104.

BUTCHER, J.N. (2005). *A beginner's guide to the MMPI-2 (2nd ed.)*. Washington, DC: American Psychological Association.

BUTCHER, J.N. (2006). *MMPI-2: A practitioner's guide*. Washington, DC: American Psychological Association.

BUTCHER, J.N. e BEN-PORATH, Y.S. (2004). Use of the MMPI-2 in medico legal evaluations: An alternative interpretation for the Senior & Douglas (2001) critique. *Australian Psychologist*, 39, 44-50.

BUTCHER, J.N. e HAN, K. (1995). Development of an MMPI-2 scale to assess the presentation of self in a superlative manner: The S scale. In J.N. Butcher e C.D. Spielberger (a cura di), *Advances in personality assessment*. (Vol. 10). Hillsdale, NJ: LEA Press.

BUTCHER, J.N. e POPE, K.S. (1990). MMPI-2: A practical guide to psychometric, clinical, and ethical issues. *Independent Practitioner*, 10 (1), 33-40.

BUTCHER, J.N. e POPE, K.S. (1992). Forensic psychology: Psychological evaluation in family custody cases- Role of the MMPI-2 and MMPI-A. *Family Law News*, 15, 25-28.

BUTCHER, J.N. e POPE, K.S. (1992). The research base, psychometric properties, and clinical uses of the MMPI-2 and MMPI-A. *Canadian Psychology*, 33, 61-78.

BUTCHER, J.N. e WILLIAMS, C. L. (1996). *Fondamenti per l'interpretazione del MMPI-2 e del MMPI-A*. Firenze: Giunti O.S. Organizzazioni Speciali.

BUTCHER, J.N. e WILLIAMS, C.L. (1992). *Essentials of MMPI-2 and MMPI-A interpretation*. University of Minnesota Press, Minneapolis, MN.

BUTCHER, J.N. e WILLIAMS, C.L. (1992). *User's guide to the Minnesota Report: Adolescent clinical system*. Minneapolis, MN: National Computer Systems.

BUTCHER, J.N. e WILLIAMS, C.L. (2000). *Essentials of MMPI-2 and MMPI-A interpretation (2nd ed.)*. Minneapolis, MN: University of Minnesota Press.

BUTCHER, J.N., ARBISI, P.A., ATLAS, M.M. e McNULTY, J.L. (2003). The construct validity of the Lees-Haley Fake Bad Scale. Does this scale measure somatic malingering and feigned emotional distress? *Archives of Clinical Neuropsychology*, 18, 473-485.

BUTCHER, J.N., ATLAS, M. e HAHN, J. (2003). Assessment with the MMPI-2: Research base and future developments. In D. Segal (a cura di), *Comprehensive handbook of psychological assessment*. New York: Wiley.

BUTCHER, J.N., ATLAS, M.M. e FANG, L. (2000). Effect of altered instructions on the MMPI-2 profiles of college students who are not motivated to distort their responses. *Journal of Personality Assessment*, 75, 492-501.

BUTCHER, J.N., DERKSEN, J., SLOORE, H. e SIRIGATTI, S. (2003). Objective personality assessment of people in diverse cultures: European adaptations of the MMPI-2. *Behavior Research and Therapy*, 41, 819-840.

BUTCHER, J.N., GRAHAM, J.R. e BEN-PORATH, Y.S. (1995). Methodological problems and issues in MMPI/MMPI-2/MMPI-A research. *Psychological Assessment*, 7, 320-329.

BUTCHER, J.N., GRAHAM, J.R., BEN-PORATH, Y.S., TELLEGEN, Y.S., DAHLSTROM, W.G. e KAEMMER, B. (2001). *Minnesota Multiphasic Personality Inventory-2: Manual for administration and scoring (rev. ed.)*. University of Minnesota Press. Minneapolis.

BUTCHER, J.N., GRAHAM, J.R., DAHLSTROM, W.G. e BOWMAN, E. (1990). The MMPI-2 with college students. *Journal of Personality Assessment*, 54, 1-15.

BUTCHER, J.N., GRAHAM, J.R., WILLIAMS, C.L. e BEN-PORATH, Y.S. (1990). *Development and use of the MMPI-2 content scales*. Minneapolis, MN: University of Minnesota Press.

BUTCHER, J.N., MORFITT, R., ROUSE, S.V. e HOLDEN, R.R. (1997). Reducing MMPI-2 defensiveness: The effect of specialized instructions on retest validity in a job applicant sample. *Journal of Personality Assessment*, 68, 385-401.

BUTCHER, J.N., ROUSE, S.V. e PERRY, J.N. (2000). Empirical description of psychopathology in therapy clients: Correlates of MMPI-2 scales. In J.N. Butcher (a cura di), *Basic sources on the MMPI-2*. Minneapolis, MN: University of Minnesota Press.

BUTCHER, J.N., TSAI, J., COELHO, S. e NEZAMI, E. (2006). Cross cultural applications of the MMPI-2. In J. N. Butcher (a cura di), *MMPI-2: A practitioner's guide*. Washington, DC: American Psychological Association.

CALDWELL, A. (1996). *Forensic questions and answers on the use of the MMPI/MMPI-2*. Los Angeles, CA: Caldwell Reports.

CAMPBELL, J.E. (2003). Predictive variables for invalid Minnesota Multiphasic Personality Inventory-2 profiles: An inpatient sample. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 63 (11-B), 5507.

CARLSON, D.A.J. (2001). Computerized vs. written administration of the MMPI-A in clinical and nonclinical settings. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 62 (2-B), 1130.

CASHEL, M.L., OVAERT, L. e HOLLIMAN, N.G. (2000). Evaluating PTSD in incarcerated male juveniles with the MMPI-A: An exploratory analysis. *Journal of Clinical Psychology*, 56, 1535-1549.

CASSISI, J.E. e WORKMAN, D.E. (1992). The detection of malingering and deception with a short form of the MMPI-2 based on the L, F, and K scales. *Journal of Clinical Psychology*, 48, 54-58.

CATTELANI, R., GUGLIOTTA, M., MARAVITA, A. e MAZZUCCHI, A. (1996). Post-concussive syndrome: Paraclinical signs, subjective symptoms, cognitive functions and MMPI profiles. *Brain Injury*, 10, 187-195.

CHARLES, T.L. (2000). Usefulness of the Minnesota Multiphasic Personality Inventory-2 in detection of deception in a personal injury type forensic population. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 60 (10-B), 5221.

CHEUNG, F.M., SONG, W.Z. e BUTCHER, J.N. (1991). An infrequency scale for the Chinese MMPI. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 648-653.

CHISHOLM, S.M., CROWTHER, J.H. e BEN-PORATH, Y.S. (1997). Selected MMPI-2 scales' ability to predict premature termination and outcome from psychotherapy. *Journal of Personality Assessment*, 69, 127-144.

- CLARK, M.E. (1994). Interpretive limitations of the MMPI2 Anger and Cynicism content scales. *Journal of Personality Assessment*, 63, 89-96.
- CLARK, M.E. (1996). MMPI-2 negative treatment indicators content and content component scales: Clinical correlates and outcome prediction for men with chronic pain. *Psychological Assessment*, 8, 32-47.
- CLARK, M.E., GIRONDA, R.J. e YOUNG, R.W. (2003). Detection of back random responding: Effectiveness of MMPI-2 and Personality Assessment Inventory validity indices. *Psychological Assessment*, 15, 223-234.
- CLEMENTS, R. e HEINTZ, J.M. (2002). Diagnostic accuracy and factor structure of the AAS and APS scales of the MMPI-2. *Journal of Personality Assessment*, 79, 564-582.
- CLOPTON, J.R., SHANKS, D.A. e PRENG, K.W. (1987). Classification accuracy of the MacAndrew scale with and without *K* corrections. *International Journal of Addictions*, 22, 1049-1051.
- COLLIGAN, R.C. e OFFORD, K.P. (1991). Adolescents, the MMPI, and the issue of *K* correction: A contemporary normative study. *Journal of Clinical Psychology*, 47 (5), 607-631.
- COLOTLA, V.A., BOWMAN, M.L. e SHERCLIFFE, R.J. (2001). Test-retest stability of injured workers' MMPI-2 profiles. *Psychological Assessment*, 13, 572-576.
- CONKEY, V.A. (2000). Determining the sensitivity of the MMPI-A to random responding and malingering in adolescents (Minnesota Multiphasic Personality Index, validity scales). *Dissertation Abstracts International*, 60, 3608.
- CORRIGAN, S.K. (1997). Malingering on the MMPI-2: An analogue investigation of the coached simulation of posttraumatic stress disorder. *Dissertation Abstracts International*, 57, 7221.
- CRAMER, K.M. (1995). Comparing three new MMPI-2 randomness indices in a novel procedure for random profile derivation. *Journal of Personality Assessment*, 65, 514-520.
- CRAMER, K.M. (1995). The effects of description clarity and disorder type on the MMPI- 2 fake-bad indices. *Journal of Clinical Psychology*, 51, 831-840.
- CUKROWICZ, K.C., REARDON, M.L., DONOHUE, K.F. e JOINER, T.E. Jr (2004). MMPI-2 *F* scale as a predictor of acute versus chronic disorder classification. *Assessment*, 11, 145-151.
- CUMELLA, E.J., WALL, A.D. e KERR-ALMEIDA, N. (2000). MMPI-2 in inpatient assessment of women with eating disorders. *Journal of Personality Assessment*, 75, 387-403.
- DAHL, D.F. (2001). The predictive validity of the *K* correction on Scale 4 of the MMPI in the assessment of antisocial personality. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 61 (8-B), 4397.
- DAHLSTROM, W.G. (1992). Comparability of two-point high-point code patterns from original MMPI norms to MMPI-2 norms for the restandardization sample. *Journal of Personality Assessment*, 59, 153-164.
- DAHLSTROM, W.G. e ARCHER, R.P. (2000). A shortened version of the MMPI-2. *Assessment*, 7, 131-141.

DAHLSTROM, W.G., ARCHER, R.P., HOPKINS, D.G., JACKSON, E. e DAHLSTROM, L.E. (1994). *Assessing the readability of the Minnesota Multiphasic Personality Inventory instruments-MMPI, MMPI-2, and MMPI A*. Minneapolis, MN: University of Minnesota Press.

DARKANGELO, D.D., BEN-PORATH, Y.S. e STAFFORD, K.P. (1996). *Defensive MMPI-2 profiles in a forensic diagnostic center*. Relazione presentata al 31° Simposio annuale su "Recent Developments in the Use of the MMPI-2/MMPI-A Workshop and Symposia", Minneapolis, MN.

DEARTH, C.S., BERRY, D.T., VICKERY, C.D., VAGNINI, V.L., BASER, R.E., OREY, S.A., et al. (2005). Detection of feigned head injury symptoms on the MMPI-2 in head injured patients and community controls. *Archives of Clinical Neuropsychology*, 20, 95-110.

DETRICK, P., CHIBNALL, J.T. e ROSSO, M. (2001). Minnesota Multiphasic Personality Inventory-MMPI-2 in police officer selection normative data and relation to the Inwald Personality Inventory. *Professional Psychology: Research and Practice*, 32, 484-490.

DEUTSCHLE, J.J. Jr (1998). The development and use of subscales for the *F* and *FB* scales on the MMPI-2 to aid in the comparison of response styles in depressed vs. psychotic and informed vs. uninformed dissimulators. *Dissertation Abstracts International: Section A: Humanities and Social Sciences*, 58 (10-A), 3844.

DIETZ, C.B. (2000). Effects of underreporting of psychopathology on MMPI-2 substance abuse scales among college students. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 60 (8-B), 4215.

DiLALLA, D.L., GOTTESMAN, I.I., CAREY, G. e BOUCHARD, T.J. (1999). Heritability of MMPI Harris-Lingoes and Subtle-Obvious subscales in twins reared apart. *Assessment*, 6, 353-366.

DONÀ, G.P., MICHELUZZI, F. e MORO, V. (2004). Normalità è patologia psichiatrica: quale differenza? Un'analisi statistica sulle scale Fondamentali e di Contenuto del test MMPI-2. *Giornale Italiano di Psicopatologia*, 10: 11-23.

DUSH, D.M., SIMONS, L.E., PLATT, W., NATION, P.C. e AYRES, S.Y. (1994). Psychological profiles distinguishing litigating and nonlitigating pain patients: Subtle, and not so subtle. *Journal of Personality Assessment*, 62, 299-313.

DUTHIE, B. e McIVOR, D. (1990). A new system for cluster-coding child molester MMPI profile types. *Criminal Justice and Behavior*, 17, 199-214.

EDWARDS, E.L., HOLMES, C.B. E CARVAJAL, H.H. (1998). Oral and booklet presentation of MMPI-2. *Journal of Clinical Psychology*, 54:593-596.

EGELAND, B., ERICKSON, M., BUTCHER, J.N. e BEN-PORATH, Y.S. (1991). MMPI-2 profiles of women at risk for child abuse. *Journal of Personality Assessment*, 57, 254-263.

ELHAI, J.D. (2000). The detection of genuine and malingered posttraumatic stress disorder: An examination of fake bad indices on the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 61 (5-B), 2755.

ELHAI, J.D. e FRUEH, B.C. (2001). Subtypes of clinical presentations in malingerers of posttraumatic stress disorder: An MMPI-2 cluster analysis. *Assessment*, 8 (1), 75-84.

- ELHAI, J.D., GOLD, P.B., FRUEH, B.C. e GOLD, S.N. (2000). Cross-validation of the MMPI-2 in detecting malingered posttraumatic stress disorder. *Journal of Personality Assessment*, 75, 449-463.
- ELHAI, J.D., GOLD, P.B., FRUEH, B.C. e GOLD, S.N. (2001). Cross-validation of the MMPI-2 in detecting malingered posttraumatic stress disorder: Errata. *Journal of Personality Assessment*, 77, 189.
- ELHAI, J.D., GOLD, S.N., SELLERS, A.H. e DORFMAN, W.I. (2001). The detection of malingered posttraumatic stress disorder with MMPI-2 Fake Bad indices. *Assessment*, 8 (2), 221-236.
- ELHAI, J.D., NAIFEH, J.A., ZUCKER, I.S., GOLD, S.N., DEITSCH, S.E. e FRUEH, B.C. (2004). Discriminating malingered from genuine civilian posttraumatic stress disorder: A validation of three MMPI-2 infrequency scales (*F*, *Fp*, and *Fptsd*): Erratum. *Assessment*, 11 (3), 271.
- ENDLER, N.S., PARKER, J.D. e BUTCHER, J.N. (1993). A factor analytic study of coping styles and the MMPI-2 content scales. *Journal of Clinical Psychology*, 49, 523-527.
- ENGLERT, D.R., WEED, N.C. e WATSON, G.S. (2000). Convergent, discriminant, and internal properties of the Minnesota Multiphasic Personality Inventory (2nd ed.) Low Self-Esteem Content Scale. *Measurement and Evaluation in Counseling and Development*, 33 (1), 42-49.
- FINN, S.E. (1996). *Manual for Using the MMPI-2 as a Therapeutic Intervention*. Minneapolis, MN: University of Minnesota Press
- FINN, S.E. e TONSAGER, M. (1992). Therapeutic effects of providing MMPI-2 test feedback to college students awaiting therapy. *Psychological Assessment*, 4, 278-287.
- FLITER, J.M.K., ELHAI, J.D. e GOLD, S.N. (2003). MMPI-2 *F* scale elevations in adult victims of child sexual abuse. *Journal of Traumatic Stress*, 16 (3), 269-274.
- FOLLETTE, W.C., NAUGLE, A.E. e FOLLETTE, V.M. (1997). MMPI-2 profiles of adult women with child sexual abuse histories: Cluster-analytic findings. *Journal of Consulting and Clinical Psychology*, 65, 858-866.
- FONTAINE, J.L., ARCHER, R.P., ELKINS, D.E. e JOHANSEN, J. (2001). The effects of MMPI-A *T*-score elevation on classification accuracy for normal and clinical adolescent samples. *Journal of Personality Assessment*, 76, 264-281.
- FORBEY, J.D. (2002). Incremental validity of the MMPI-A content scales and interpretative utility of the content component scales of the MMPI-A in a residential treatment facility. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 63 (1-B), 522.
- FORBEY, J.D., BEN-PORATH, Y.S. e DAVIS, D.L. (2000). A comparison of sexually abused and non-sexually abused adolescents in a clinical treatment facility using the MMPI-A. *Child Abuse and Neglect*, 24, 557-568.
- FORBEY, J.D., HANDEL, R.W. e BEN-PORATH, Y.S. (2000). A real-data simulation of computerized adaptive administration of the MMPI-A. *Computers in Human Behavior*, 16 (1), 83-96.
- FORFAR, C.S. (1993). Keane's MMPI-PTSD scale: A false positive analysis. *Dissertation Abstracts International*, 54 (3-B), 1664.
- FOX, D.D., GERSON, A. e LEES-HALEY, P.R. (1995). Interrelationship of the MMPI-2 validity scales in personal injury claims. *Journal of Clinical Psychology*, 51, 42-47.

FRANKLIN, C.L., REPASKY, S.A., THOMPSON, K.E., SHELTON, S.A. e UDDO, M. (2002). Differentiating overreporting and extreme distress: MMPI-2 use with compensation-seeking veterans with PTSD. *Journal of Personality Assessment*, 79, 274-285.

FRIEDMAN, A.F., LEVAK, R., WEBB, J.T e NICHOLS, D.S. (2000). *Psychological Assessment with the MMPI-2*. Londra: Routledge.

GALLAGHER, R.W. (1997). Detection of malingering at the time of intake in a correctional setting with the MMPI-2 validity scales. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 58 (11-B), 6233.

GALLEN, R.T. e BERRY, D.T.R. (1997). Partially random MMPI-2 protocols: When are they interpretable? *Assessment*, 4 (1), 61-68. GALLUCCI, N.T. (1984). Prediction of dissimulation on the MMPI in a clinical field setting. *Journal of Consulting and Clinical Psychology*, 52, 917-918.

GANDOLFO, R. (1995). MMPI-2 profiles of worker's compensation claimants who present with complaints of harassment. *Journal of Clinical Psychology*, 51 (5), 711-715.

GARRIDO, M. (1996). *Integrating the MMPI-2 and the Thematic Apperception Test for culturally competent evaluations of Latinos: Three cases of Latino parents undergoing child custody evaluations*. Relazione presentata al 31st Annual Symposium on Recent Developments in the Use of the MMPI-2/ MMPI-A Workshop and Symposia. Minneapolis, MN.

GASS, C.S. (1991). MMPI-2 interpretation and closed head injury: A correction factor. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 27-31.

GASS, C.S. (1992). MMPI-2 interpretation of patients with cerebrovascular disease: A correction factor. *Archives of Neuropsychology*, 7, 17-27.

GASS, C.S. (2006). Use of the MMPI-2 in neuropsychological evaluations. In J.N. Butcher (a cura di), *MMPI-2: A practitioners guide*. American Psychological Association, Washington, DC.

GASS, C.S. e LUIS, C.A. (2001). MMPI-2 scale $F(p)$ and symptom feigning: Scale refinement. *Assessment*, 8, 425-429.

GASS, C.S., LUIS, C.A., RAYLS, K. e MITTENBERG, W.B. (1999). Psychological status and its influences in acute traumatic brain injury: An MMPI-2 study (Abstract). *Archives of Clinical Neuropsychology*, 14, 30.

GASTON, L., BRUNET, A., KOSZYCKI, D. e BRADWEJN, J. (1996). MMPI profiles of acute and chronic PTSD in a civilian sample. *Journal of Traumatic Stress*, 9, 817-832.

GASTON, L., BRUNET, A., KOSZYCKI, D. E BRADWEJN, J. (1998). MMPI scales for diagnosing acute and chronic PTSD in civilians. *Journal of Traumatic Stress*, 11:355-365.

GILLIS, J.R., ROGERS, R. e DICKENS, S.E. (1990). The detection of faking bad response styles on the MMPI. *Canadian Journal of Behavioural Science*, 22 (4), 408-416.

GLASER, B.A., CALHOUN, G.B. e PETROCELLI, J.V. (2002). Personality characteristics of male juvenile offenders by adjudicated offenses as indicated by the MMPI-A. *Criminal Justice and Behavior*, 29 (2), 183-201.

- GOTTS, E. e KNUDSEN, T. (2005). *The Clinical Interpretation of MMPI-2*. Londra: Routledge.
- GRAHAM, J.R. (2011). *MMPI-2: Assessing Personality and Psychopathology*, 5th ed. New York: Oxford University Press.
- GRAHAM, J.R., BEN-PORATH, Y.S. e McNULTY, J. (1999). *MMPI-2 correlates for outpatient mental health settings*. Minneapolis, MN: University of Minnesota Press.
- GRAHAM, J.R., TIMBROOK, R., BEN-PORATH, Y.S. e BUTCHER, J.N. (1991). Code-type congruence between MMPI and MMPI-2: Separating fact from artifact. *Journal of Personality Assessment*, 57, 205-215.
- GRAHAM, J.R., WATTS, D. e TIMBROOK, R. (1991). Detecting fake-good and fake-bad MMPI-2 profiles. *Journal of Personality Assessment*, 57, 264-277.
- GRANIERI, A. (2007). *Teoria e pratica del MMPI-2*. Genova: Frilli.
- GREENBLATT, R.L. e DAVIS, W.E. (1999). Differential diagnosis of PTSD, schizophrenia, and depression with the MMPI-2. *Journal of Clinical Psychology*, 55 (2), 217-223.
- GREENE, R.L. (1988). *The MMPI: Use with Specific Populations*. New York: Grune & Stratton.
- GREENE, R.L. (1991). *The MMPI-2/MMPI: An interpretive manual*. Needham Heights, MA: Allyn & Bacon.
- GREENE, R.L. (1997). Assessment of malingering and defensiveness by multiscale inventories. In R. Rogers (a cura di), *Clinical assessment of malingering and deception* (2nd ed.). New York: Guilford Press.
- GREENE, R.L. (2000). *The MMPI-2: An interpretive manual* (2nd ed.). Needham Heights, MA: Allyn & Bacon.
- GREENE, R.L., GWIN, R. e STAAL, M. (1997). Current status of MMPI-2 research: A methodologic overview. *Journal of Personality Assessment*, 68, 20-36.
- GREENE, R.L., ROBIN, R.W., ALBAUGH, B., CALDWELL, A. e GOLDMAN, D. (2003). Use of the MMPI-2 in American Indians II. Empirical correlates. *Psychological Assessment*, 15, 360-369.
- GREGG, P.A. (1998). The effect of impression management on correlations between Rorschach and MMPI-2 variables. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 58 (9-B), 5185.
- GREIFFENSTEIN, M.F., GOLA, T. e BAKER, W.J. (1995). MMPI-2 validity scales versus domain specific measures in detection of factitious traumatic brain injury. *Clinical Neuropsychologist*, 9, 230-240.
- GREVE, K.W. e BIANCHINI, K.J. (2004). Response to Butcher et al., The construct validity of the Lees-Haley Fake-Bad Scale. *Archives of Clinical Neuropsychology*, 19 (3), 337-339.
- GRIFFIN, G.A.E., NORMINGTON, J., MAY, R. e GLASSMIRE, D. (1996). Assessing dissimulation among Social Security disability income claimants. *Journal of Consulting and Clinical Psychology*, 64, 1425-1430.
- GRILLO, J., BROWN, R.S., HILSABECK, R. e PRICE, J.R. (1994). Raising doubts about the claims of malingering: Implications of relationships between MCMI-2 and MMPI performance. *Journal of Clinical Psychology*, 50, 651-655.

- HAHN, J. (2001). *Faking and defensive responding in Korean MMPI-2*. Relazione presentata al 36° Simposio annuale su "Recent Developments in the Use of the MMPI-2/MMPI-A", Safety Harbor, FL.
- HAHN, J. (2003). Faking and defensive responding in Korean MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 64 (6-B), 2971.
- HALL, G.C., SHEPHERD, J.B. e MUDRAK, P. (1992). MMPI taxonomies of child sexual and nonsexual offenders: A cross-validation and extension. *Journal of Personality Assessment*, 58, 127-137.
- HAMMEL, S.D. (2001). An investigation of the validity and clinical usefulness of the MMPI-A with female juvenile delinquents. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 61 (11-B), 6135.
- HAN, K., WEED, N.C. e BUTCHER, J.N. (2003). Dyadic agreement on the MMPI-2. *Personality and Individual Differences*, 35, 603-615.
- HANDEL, R.W., BEN-PORATH, Y.S. e WATT, M. (1999). Computerized adaptive assessment with the MMPI-2 in a clinical setting. *Psychological Assessment*, 11, 369-380.
- HARKNESS, A.R., McNULTY, J.L. e BEN-PORATH, Y.S. (1995). The Personality Psychopathology Five (PSY-5): Constructs and MMPI-2 scales. *Psychological Assessment*, 7, 104-114.
- HARKNESS, A.R., McNULTY, J.L., STRACK, S. e LORR, M. (1994). The Personality Psychopathology Five (PSY-5): Issues from the pages of a diagnostic manual instead of a dictionary. In *Differentiating normal and abnormal personality*. New York: Springer.
- HARTMAN-CROUCH, T.S. (2000). The Minnesota Multiphasic Personality Inventory-2 in the context of child custody litigation. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 61 (5-B), 2762.
- HATHAWAY, S.R. e McKINLEY, J.C. (1995). *MMPI-2. Manuale*. Adattamento italiano a cura di P. Pancheri e S. Sirigatti. Firenze: O.S. Organizzazioni Speciali.
- HEILBRUN, K., BENNETT, W.S., WHITE, A.J. e KELLY, J. (1990). An MMPI-based empirical model of malingering and deception. *Behavioral Sciences & the Law*, 8, 45-53.
- HEINZE, M. (2003). Developing sensitivity to distortion: Utility of psychological tests in differentiating malingering and psychopathology in criminal defendants. *Journal of Forensic Psychiatry and Psychology*, 14, 151-177.
- HELMES, E. e McLAUGHLIN, J.D. (1983). A comparison of three MMPI short forms: Limited clinical utility in classification. *Journal of Consulting and Clinical Psychology*, 51, 786-787.
- HELMES, E. e REDDON, J.R. (1993). A perspective on developments in assessing psychopathology: A critical review of the MMPI and MMPI-2. *Psychological Bulletin*, 113, 453-471.
- HERKOV, M.J. (1991). Adolescent MMPI subtle-obvious ratings: Influences of age and race in a forensic population. *Dissertation Abstracts International*, 51, 5575.

- HERKOV, M.J., ARCHER, R. e GORDON, R.A. (1991). MMPI response sets among adolescents: An evaluation of the limitations of the Subtle-Obvious subscales. *Psychological Assessment: A Journal of Consulting and Clinical Psychology*, 3, 424-426.
- HILTS, D. e MOORE, J.M. Jr (2003). Normal Range MMPI-A Profiles Among Psychiatric Inpatients. *Assessment*, 10 (3), 266-272.
- HINOJOSA, L. (1993). The MMPI-2 and malingering: A study aimed at refining the detection of deception. *Dissertation Abstracts International*, 54, 2203.
- HJEMBOE, S., ALMAGOR, M. e BUTCHER, J.N. (1992). Empirical assessment of marital distress: The Marital Distress Scale (MDS) for the MMPI-2. In C.D. Spielberger e J.N. Butcher (a cura di), *Advances in personality assessment (Vol. 9)*. Hillsdale, NJ: Erlbaum.
- HOLIFIELD, J., NELSON, W. e HART, K. (2002). MMPI profiles of sexually abused and nonabused outpatient adolescents. *Journal of Adolescent Research*, 17, 188-195.
- HOPKINS, L.C. (1999). The role of the K-scale as a validity measure in court-ordered child custody MMPIs. *Dissertation Abstracts International*, 60, 3010.
- HUNT, M.E. (1999). A comparison between MMPI and CPI adult profiles of children of alcoholics and nonalcoholics. *Substance Use and Misuse*, 34, 921-933.
- HUNTER, L.M. (2000). Use of selected MMPI-A factors in the prediction of clinical outcomes in a community based treatment program for juvenile sexual offenders. *Dissertation Abstracts International: Section B: The Sciences & Engineering*, 60 (11-B), 5775.
- IVERSON, G.L. e BARTON, E. (1999). Interscorer reliability of the MMPI-2: Should *TRIN* and *VRIN* be computer scored? *Journal of Clinical Psychology*, 55 (1), 65-69.
- IVERSON, G.L., FRANZEN, M.D. e HAMMOND, J.A. (1995). Examination of inmates' ability to malingering on the MMPI-2. *Psychological Assessment*, 7, 118-121.
- IVERSON, G.L., HENRICHS, T.F., BARTON, E.A. e ALLEN, S. (2002). Specificity of the MMPI-2 Fake Bad Scale as a marker for personal injury malingering. *Psychological Reports*, 90 (1), 131-136.
- JACKSON, D.N., FRABONI, M. e HELMES, E. (1997). MMPI-2 content scales: How much content do they measure? *Assessment*, 4, 111-117.
- JI, S., GAO, C., LI, M., JI, Y., GUO, C. e FANG, M. (1999). Effect of K correction on the profile of the MMPI. *Chinese Journal of Clinical Psychology*, 7 (1), 12-15.
- JIMÉNEZ, G. e SANCHEZ, C.G. (2001). La contribucion de las subescalas Obvio-Sutil del MMPI-2 en la deteccion del fingimiento. *Revista Iberoamericana de Diagnostico y Evaluation Psicologica*, 11 (1), 111-130.
- JONES, A. (2001). An examination of the MMPI-2 Wiener-Harmon subtle subscales for *D* and *Hy*: Implications for parent scale and neurotic triad interpretation. *Journal of Personality Assessment*, 77, 105-121.

KAEMMER, B. (2003). *MMPI-2 Restructured Clinical (RC) Scales: Development, validation, and interpretation*. Minneapolis, MN: University of Minnesota Press.

KALICHMAN, S.C. (1990). Affective and personality characteristics of MMPI profile subgroups of incarcerated rapists. *Archives of Sexual Behavior, 19*, 443-459.

KALICHMAN, S.C. e HENDERSON, M.C. (1991). MMPI profile subtypes of nonincarcerated child molesters. *Criminal Justice and Behavior, 18*, 379-396.

KENDERDINE, S.K., PHILLIPS, E.J. e SCURFIELD, R.M. (1992). Comparison of the MMPI PTSD subscale with PTSD and substance abuse patient populations. *Journal of Clinical Psychology, 48*, 136-139.

KHAN, F.I., WELCH, T. e ZILMER, E. (1993). MMPI-2 profiles of battered women in transition. *Journal of Personality Assessment, 60*, 100-111.

KIELISZEWSKI, J.T. (1999). A cluster analytic study of MMPI-2 profiles of convicted sex offenders of children. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 60* (2-B), 0833.

KLOTZ FLITTER, J.M., ELHAI, J.D. e GOLD, S.N. (2003). MMPI-2 *F* scale elevations in adult victims of child sexual abuse. *Journal of Traumatic Stress, 16*, 269-274.

KOPPER, B.A., OSMAN, A. e BARRIOS, F.X. (2001). Assessment of suicidal ideation in young men and women: The incremental validity of the MMPI-2 content scales. *Death Studies, 25*, 593-607.

KORESTZKY, M.B. e PECK, A.H. (1990). Validation and cross-validation of the PTSD subscale of the MMPI with civilian trauma victims. *Journal of Clinical Psychology, 46* (3), 296-299.

KORNFELD, A.D. (1995). Police officer candidate MMPI-2 performance: Gender, ethnic, and normative factors. *Journal of Clinical Psychology, 51*, 536-540.

KRAKAUER, S.Y., ARCHER, R.P. e GORDON, R. (1993). The development of the Items-Easy (IE) Items-Difficult (d) subscales of the MMPI-A. *Journal of Personality Assessment, 80*, 561-571.

KRISHNAMURTHY, R. e ARCHER, R.P. (1999). A comparison of two interpretive approaches for the MMPI-A structural summary. *Journal of Personality Assessment, 73*, 245-259.

KUCHARSKI, L.T., JOHNSEN, D. e PROCELL, S. (2004). The utility of the MMPI-2 infrequency psychopathology *F(p)* and the revised infrequency psychopathology scales in the detection of malingering. *American Journal of Forensic Psychology, 22* (1), 33-40.

KURMAN, R.G., HURSEY, K.G. e MATHEW, N.T. (1992). Assessment of chronic refractory headache: The role of the MMPI-2. *Headache, 32*, 432-435.

LAMB, D., BERRY, D.T.R., WETTER, M. e BAER, R.A. (1994). Effects of two types of information on malingering of closed head injury on the MMPI-2: An analog investigation. *Psychological Assessment, 6*, 8-13.

LANYON, R.I. (1993). Validity of MMPI sex offender scales with admitters and nonadmitters. *Psychological Assessment, 5*, 302-306.

LANYON, R.I. (1997). Detecting deception: Current models and directions. *Clinical Psychology Science and Practice*, 4, 377-387.

LARRABEE, G. (2003). Detection of symptom exaggeration with the MMPI-2 in litigants with malingered neurocognitive dysfunction. *Clinical Neuropsychologist*, 17, 54-68.

LARRABEE, G. (2003). Exaggerated MMPI-2 symptom report in personal injury litigants with

LAURIE, B.W. (1998). Use of the MMPI and the Beck Depression Inventory to determine correlation of anxiety and depression in workers' compensation claimants. *Dissertation Abstracts International*, 59, 2423.

LEES-HALEY, P.R. (1991). Ego strength denial on the MMPI-2 as a clue to simulation of personal injury in vocational neuropsychological and emotional distress evaluations. *Perceptual and Motor Skills*, 72, 815-819.

LEES-HALEY, P.R. (1991). MMPI-2 *F* and *F-K* scores of personal injury malingerers in vocational neuropsychological and emotional distress claims. *American Journal of Forensic Psychology*, 9, 5-14. 535

LEES-HALEY, P.R. e FOX, D.D. (1990). MMPI subtle-obvious scales and malingering: Clinical versus simulated scores. *Psychological Reports*, 66, 907-911.

LEES-HALEY, P.R., ENGLISH, L.T. e GLENN, W.J. (1991). A fake bad scale on the MMPI-2 for personal injury claimants. *Psychological Reports*, 68, 203-210.

LePAGE, J.P. e MOGGE, N.L. (2001). Validity rates of the MMPI-2 and PAI in a rural inpatient psychiatric facility. *Assessment*, 8, 67-74.

LEVAK, R., SIEGEL, L. e NICHOLS, D.S. (2011). *Therapeutic Feedback with the MMPI-2: A Positive Psychology Approach*. Londra: Routledge.

LEWIS, J.L., SIMCOX, A.M. e BERRY, D.T.R. (2002). Screening for feigned psychiatric symptoms in a forensic sample by using the MMPI-2 and the Structured Inventory of Malingered Symptomatology. *Psychological Assessment*, 14, 170-176.

LILIENFELD, S.O. (1996). The MMPI-2 Antisocial Practices content scale: Construct validity and comparison with the Psychopathic Deviate Scale. *Psychological Assessment*, 8, 281-293.

LILIENFELD, S.O. (1999). The relation of the MMPI-2 Pd Harris-Lingoes subscales to psychopathy, psychopathy facets, and antisocial behavior: Implications for clinical practice. *Journal of Clinical Psychology*, 55:241-255.

LIM, J. (1994). Detection of faking on the MMPI-2 profiles: Differentiation between fakingbad, denial, and claiming extreme virtue. *Dissertation Abstracts International*, 55, 2430.

LIM, J. e BUTCHER, J.N. (1996). Detection of faking on the MMPI-2: Differentiation among faking-bad, denial, and claiming extreme virtue. *Journal of Personality Assessment*, 67, 1-25.

LITZ, B.T., PENK, W., WALSH, S., HYER, L., BLAKE, D.D., MARZ, B., KEANE, T.M. e BITMAN, D. (1991). Similarities and differences between Minnesota Multiphasic Personality Inventory (MMPI) and MMPI-2 applications to the assessment of post-traumatic stress disorder. *Journal of Personality Assessment*, 57, 238-254.

LONG, B., ROUSE, S.V., NELSON, R.O. e BUTCHER, J.N. (2004). The MMPI-2 in sexual harassment and discrimination cases. *Journal of Clinical Psychology*, 60, 643-658.

LOPEZ, M.N. e CHARTER, R.A. (2001). Random responding to the MMPI-2 F Scale. *Psychological Reports*, 88 (2), 398.

LUCIO, E., DURAN, C., GRAHAM, J.R. e BEN-PORATH, Y.S. (2002). Identifying faking bad on the Minnesota Multiphasic Personality Inventory-Adolescent with Mexican adolescents. *Assessment*, 9 (1), 62-69.

LYONS, J.A. e KEANE, T.M. (1992). Keane PTSD scale: MMPI and MMPI-2 update. *Journal of Traumatic Stress*, 5, 111-117.

LYONS, J.A. e WHEELERCOX, T. (1999). MMPI, MMPI-2 and PTSD: Overview of scores, scales, and profiles. *Journal of Traumatic Stress*, 12:175-183.

malingered neurocognitive deficit. *Archives of Clinical Neuropsychology*, 18, 673-686.

MALONEY, E.R. (1998). Faking good on the MMPI-2: A quantitative study. *Dissertation Abstracts International*, 59, 1906.

MANNERS, K.O. (1997). Faking good, social desirability, and the MMPI-A. *Dissertation Abstracts International*, 58, 1538.

McCUSKER, P.J., MORAN, M.J., SERFASS, L. e PETERSON, K.H. (2003). Comparability of the MMPI-2 *F(p)* and *F* scales and the *SIRS* in clinical use with suspected malingerers. *International Journal of Offender Therapy and Comparative Criminology*, 47, 585-596.

McGRATH, R.E., POGGE, D.L. e STOKES, J.M. (2002). Incremental validity of selected MMPI-A content scales in an inpatient setting. *Psychological Assessment*, 14, 401-409.

McGRATH, R.E., POGGE, D.L., STEIN, L.A.R., GRAHAM, J.R., ZACCARIO, M. e PIACENTINI, T. (2000). Development of an Infrequency-Psychopathology scale for the MMPI-A: The *Fp-A* scale. *Journal of Personality Assessment*, 74, 282-295.

McGRATH, R.E., POWIS, D. e POGGE, D.L. (1998). Code type-specific tables for interpretation of MMPI-2 Harris and Lingo's subscales: Consideration of gender and code type definition. *Journal of Clinical Psychology*, 54:655-664.

McGRATH, R.E., SWEENEY, M., O'MALLEY, W.B. e CARLTON, T.K. (1998). Identifying psychological contributions to chronic pain complaints with the MMPI-2: The role of the *K* scale. *Journal of Personality Assessment*, 70, 448-459.

McNULTY, J., FORBEY, J., GRAHAM, J., BEN-PORATH, Y., BLACK, M., ANDERSON, S., et al. (2003). MMPI-2 validity scale characteristics in a correctional sample. *Assessment*, 10, 288-298.

McNULTY, J.L., HARKNESS, A.R. e DE RAAD, B. (2002). The MMPI-2 personality psychopathology- Five (PSY-5) scales and the five factor model. In B. De Raad e M. Perugini. *Big five assessment*. Berna: Hogrefe & Huber.

MEGARGEE, E.I. (1992). *Impact of the revised MMPI (MMPI2) on the Megargee MMPI-based offender classification system*. Report presentato al National Institute of Justice, Washington, DC.

- MEGARGEE, E.I. (1994). Using the Megargee MMPI-based classification system with the MMPI-2 of male prison inmates. *Psychological Assessment*, 6, 337-344.
- MEGARGEE, E.I. (1995). Use of the MMPI-2 in correctional settings. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.
- MEGARGEE, E.I. (1997). Using the Megargee MMPI-based classification system with the MMPI-2s of female prison inmates. *Psychological Assessment*, 9, 75-82.
- MEGARGEE, E.I. (2004). *Development and validation of an MMPI-2 Infrequency Scale (FC) for use with criminal offenders*. Relazione presentata al 39° Simposio annuale su "Recent Developments of the MMPI-2/ MMPI-A", Minneapolis, MN.
- MEGARGEE, E.I. (2006). Using the MMPI-2 in correctional settings. In J.N. Butcher (a cura di), *MMPI-2: A practitioner's guide*. Washington, DC: American Psychological Association.
- MEGARGEE, E.I. e CARBONELL, J.L. (1995). Use of the MMPI-2 in correctional settings. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hirschman e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.
- MEGARGEE, E.I., CARBONELL, J.L., BOHN, M.B. e SLIGER, G.L. (2001). *Classifying criminal offenders with the MMPI-2*. Minneapolis, MN: University of Minnesota Press.
- MEGARGEE, E.I., RIVERA, P. e FLY, J.T. (1991). *MMPI-2 and the Megargee offender classification system*. Relazione presentata al 26° Simposio annuale su "Recent Developments in the Use of the MMPI (MMPI-2)", St Petersburg, FL.
- MEYERS, J.E., MILLIS, S.R. e VOLKERT, K. (2002). A validity index for the MMPI-2. *Archives of Clinical Neuropsychology*, 17, 157-169.
- MICUCCI, J.A. (2002). Accuracy of MMPI-A scales *ACK*, *MAC-R*, and *PRO* in detecting comorbid substance abuse among psychiatric inpatients. *Assessment*, 9 (2), 111-122.
- MITTENBERG, W., TREMONT, G. e RAYLS, K.R. (1996). Impact of cognitive function on MMPI-2 validity in neurological impaired patients. *Assessment*, 3, 157-163.
- MORAN, P.J. (2000). MMPI-2 profiles of students instructed to overreport depressive and manic psychopathology using either specific symptom information or symptom stereotypes. (malingering). *Dissertation Abstracts International*, 60, 3609.
- MORGAN, C.D., SHOENBERG, R., DORR, D. e BURKE, M.J. (2002). Overreport on the MCMI-III: Concurrent validation with the MMPI-2 using a psychiatric inpatient sample. *Journal of Personality Assessment*, 78, 288-300.
- MORRELL, J.S. e RUBIN, L.J. (2001). The Minnesota Multiphasic Personality Inventory- 2, posttraumatic stress disorder, and women domestic violence survivors. *Professional Psychology: Research and Practice*, 32, 151-156.

- MORTON, T.L. e FARRIS, K.L. (2002). MMPI-A structural summary characteristics of male juvenile delinquents. *Assessment*, 9, 327-333.
- MORTON, T.L., FARRIS, K.L. e BRENOWITZ, L.H. (2002). MMPI-A scores and high points of male juvenile delinquents: Scales 4, 5, and 6 as markers of juvenile delinquency. *Psychological Assessment*, 14, 311-319.
- MOSKOWITZ, J.L., LEWIS, R.J., ITO, M.S. e EHRMENTRAUT, J. (1999). MMPI-2 profiles of NGRI and civil patients. *Journal of Clinical Psychology*, 55, 659-668.
- MOYER, D.M., BURKHARDT, B. e GORDON, R.M. (2002). Faking PTSD from a motor vehicle accident on the MMPI-2. *American Journal of Forensic Psychology*, 20 (2), 81-89.
- MUNLEY, P.H., BAINS, D.S. e BLOEM, W.D. (1993). F Scale elevation and PTSD MMPI profiles. *Psychological Reports*, 73 (2), 363-370.
- MUNLEY, P.H., GERMAIN, J.M., TOVAR-MURRAY, D. e BORGMAN, A.L. (2004). MMPI-2 profile code types and measurement error. *Journal of Personality Assessment*, 82, 179-188.
- NELSON, L. (1987). Measuring depression in a clinical population using the MMPI. *Journal of Consulting and Clinical Psychology*, 55, 788-790.
- NELSON, L. (1995). Use of the MMPI and MMPI-2 in forensic neurological evaluations. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman, e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.
- NELSON, L.D. e CICCHETTI, D. (1991). Validity of the MMPI Depression scale for outpatients. *Psychological Assessment*, 3, 55-59.
- NELSON, L.D., PHAM, D. e UCHIYAMA, C. (1996). Subtlety of the MMPI-2 Depression Scale: A subject laid to rest? *Psychological Assessment*, 8, 331-333.
- NICHOLS, D.S. e GREENE, F.L. (1991). *New measures for dissimulation on the MMPI/MMPI-2*. Relazione presentata al 26° Simposio annuale su "Recent Developments in the Use of the MMPI", St. Petersburg Beach, FL.
- NICHOLS, D.S. e GREENE, R.L. (1997). Dimensions of deception in personality assessment: The example of the MMPI-2. *Journal of Personality Assessment*, 68, 251-266.
- NICHOLSON, R.A., MOUTON, G.J., BAGBY, R.M., BUIS, T., PETERSON, S.A. e BUIGAS, R.A. (1997). Utility of MMPI-2 indicators of response distortion: Receiver operating characteristic analysis. *Psychological Assessment*, 9, 471-479.
- OGLOFF, J.R.P. (1995). The legal basis of forensic applications of the MMPI-2. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman e M.S. Zargoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.
- OSBERG, T.M. (1999). Comparative validity of the MMPI-2 Wiener-Harmon subtle-obvious scales in male prison inmates. *Journal of Personality Assessment*, 72, 36-48.

- OSBERG, T.M. e HARRIGAN, P. (1999). Comparative validity of the MMPI-2 Wiener-Harmon subtle-obvious scales in male prison inmates. *Journal of Personality Assessment*, 72, 36-48.
- OSBERG, T.M. e POLAND, D.L. (2001). Validity of the MMPI-2 basic and Harris-Lingoes subscales in a forensic sample. *Journal of Clinical Psychology*, 57, 1369-1380.
- OSBERG, T.M. e POLAND, D.L. (2002). Comparative accuracy of the MMPI-2 and the MMPI-A in the diagnosis of psychopathology in 18-year-olds. *Psychological Assessment*, 14, 164-169.
- OTTO, R. (2002). Use of the MMPI in forensic settings. *Journal of Forensic Psychology Practice*, 2, 73-91.
- OTTO, R. e COLLINS, R.P. (1995). Use of the MMPI-2/ MMPI-A in child custody evaluations. In Y.S. Ben-Porath, J.R. Graham, G.C.N. Hall, R.D. Hirschman, e M.S. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. Thousand Oaks, CA: Sage.
- OTTO, R.K. e COLLINS, R.P. (1995). Use of the MMPI-2/MMPI-A in child custody evaluations. In Y.S. Ben-Porath, J. Graham, G. Hall, R. Hirschman e M. Zaragoza (a cura di), *Forensic applications of the MMPI-2*. New York: Wiley.
- PALAV, A., ORTEGA, A. e McCAFFREY, R.J. (2001). Incremental validity of the MMPI-2 content scales: A preliminary study with brain-injured patients. *Journal of Head Trauma Rehabilitation*, 16 (3), 275-283.
- PAOLO, A., RYAN, J.J. e SMITH, A.J. (1991). Reading difficulty of MMPI-2 subscales. *Journal of Clinical Psychology*, 47, 529-532.
- PAOLO, A.M. e RYAN, J.J. (1992). Detection of random response sets on the MMPI-2. *Psychotherapy in Private Practice*, 11 (4), 1-8.
- PENA, L.M., MEGARGEE, E.I. e BRODY, E. (1996). MMPI-A. Patterns of Male Juvenile Delinquents. *Psychological Assessment*, Vol. 8, No. 4, 388-397.
- PENK, W.E., RIERDAN, J., LOSARDO, M. e ROBINOWITZ, R. (2006). The MMPI-2 and assessment of post-traumatic stress disorder (PTSD). In J.N. Butcher (a cura di), *MMPI-2: A practitioners guide*. Washington, DC: American Psychological Association.
- PENSA, R., DORFMAN, W.I., GOLD, S.N. e SCHNEIDER, B. (1996). Detection of malingered psychosis with the MMPI-2. *Psychotherapy in Private Practice*, 14, 47-63.
- PERCONTE, S.T. e GORECZNY, A.J. (1990). Failure to detect fabricated posttraumatic stress disorder with the use of the MMPI in a clinical population. *American Journal of Psychiatry*, 147, 1057-1060.
- PEYROT, M. (1995). Psychological testing and forensic decision making: The properties in- use of the MMPI. *Social Problems*, 42 (4), 574-586.
- PICKENS, M.S. (2003). MMPI-2 scales of defensiveness: Are they measuring defensiveness? *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 63 (11-B), 5532.
- PINSONEAULT, T.B. (1998). A Variable Response Inconsistency Scale and a True Response Inconsistency Scale for the Jesness Inventory. *Psychological Assessment*, 10, 21-32.

- PINSONEAULT, T.B. (1999). Efficacy of the three randomness validity scales for the Jesness Inventory. *Journal of Personality Assessment*, 73, 395-406.
- POPE, K.S., BUTCHER, J.N. e SEELEN, J. (2006). *MMPI, MMPI-2, MMPI-A in tribunale. Manuale pratico per consulenti tecnici, avvocati e giudici con casistica criminologica italiana* (ed. italiana a cura di Daniele Berto). Firenze: Giunti O.S. Organizzazioni Speciali.
- POSTHUMA, A.B. e HARPER, J.F. (1998). Comparison of MMPI-2 responses of child custody and personal injury litigants. *Professional Psychology: Research and Practice*, 29, 437-443.
- POWIS, D.M. (1999). Actuarial use of the MMPI-A: Generation of clinical correlate data for frequently occurring codetypes in an adolescent inpatient sample. *Dissertations International: Section B: The Sciences and Engineering*, 59 (11-B), 6107.
- PUTZKE, J.D., WILLIAMS, M.A., DANIEL, F.J. e BOLL, T.J. (1999). The utility of K-correction to adjust for a defensive response set on the MMPI. *Assessment*, 6 (1), 61-70.
- RAYLS, K.R., MITTENBERG, W., BURNS, W.J. e THEROUX, S. (2000). Prospective study of the MMPI-2 correction factor after mild head injury. *Clinical Neuropsychologist*, 14, 546-550.
- ROGERS, R. e GILLIS, J. (1991). Standardized assessment of malingering: Validation of the Structured Interview of Reported Symptoms. *Psychological Assessment*, 3, 89-96.
- ROGERS, R., HINDS, J.D. e SEWELL, K.W. (1996). Feigning psychopathology among adolescent offenders: Validation of the SIRS, MMPI-A, and SIMS. *Journal of Personality Assessment*, 67, 244-257.
- ROGERS, R., KROPP, P., BAGBY, R.M. e DICKENS, S.E. (1992). Faking specific disorders: A study of the Structured Interview of Reported Symptoms (SIRS). *Journal of Clinical Psychology*, 48, 643-648.
- ROGERS, R., SEWELL, K.W., MARTIN, M.A. e VITACCO, M.J. (2003). Detection of feigned mental disorders: A meta-analysis of the MMPI-2 and malingering. *Assessment*, 10, 160-177.
- ROGERS, R.R., SEWELL, K.W. e USTAD, K.L. (1995). Feigning among chronic outpatients on the MMPI-2: A systematic examination of fake-bad indicators. *Assessment*, 2, 81-89.
- ROMAN, D.D., TULEY, M.R., VILLANUEVA, M.R. e MITCHELL, W.E. (1990). Evaluating MMPI validity in a forensic psychiatric population: Distinguishing between malingering and genuine psychopathology. *Criminal Justice and Behavior*, 17, 186-198.
- ROTHKE, S.E., FRIEDMAN, A.F., DAHLSTROM, W.G. e GREENE, R.L. (1994). MMPI-2 normative data for the *F-K* index: Implications for clinical, neuropsychological, and forensic practice. *Assessment*, 1 (1), 1-15.
- ROTHKE, S.E., FRIEDMAN, A.F., JAFFE, A.M., GREENE, R.L., WETTER, M.W., COLE, P., et al. (2000). Normative data for the *F(p)* Scale of the MMPI-2: Implications for clinical and forensic assessment of malingering. *Psychological Assessment*, 12, 335-340.
- SALTER, A.C. (2003). *Predators: Pedophiles, rapists, and other sex offenders*. New York: Basic Book.
- SARI, D.J. (2001). MMPI-2 and neuropsychological indicators of malingering in traumatic brain injury litigants. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 61 (12-B), 6720.

SCAFIDI, F.A., FIELD, T., PRODRONIDIS, M. e ABRAMS, S.M. (1999). Association of fakegood MMPI-2 profiles with low Beck Depression Inventory scores. *Adolescence*, 34, 61-68.

SCHATTNER, T.J. (2003). Sex offenders and the use of the validity scales of the MMPI-2 to confirm treatment progress. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 64 (5-B), 2404.

SCHEIBE, S., BAGBY, R.M., MILLER, L.S. e DORIAN, B.J. (2001). Assessing posttraumatic disorder with the MMPI-2 in a sample of workplace accident victims. *Psychological Assessment*, 13, 369-374.

SCHILL, T.E. e WANG, T. (1990). Correlates of the MMPI-2 Anger Content Scale. *Psychological Reports*, 67, 800-804.

SCHINKA, J., ELKINS, D.E. e ARCHER, R.P. (1998). Effects of psychopathology and demographic characteristics on MMPI-A scale scores. *Journal of Personality Assessment*, 71, 295-305.

SCHLANK, A.M. (1995). The utility of the MMPI and the MSI for identifying a sexual offender typology. *Sexual Abuse: Journal of Research and Treatment* 7 (3), 185-194.

SCOTT, A.B. (1997). Response latencies and faking on the MMPI-2: Implications for elevated versus nonelevated profiles. *Dissertation Abstracts International*, 58, 2176.

SCOTTI, J.R., STURGES, L.V. e LYONS, J.A. (1996). The Keane PTSD scale extracted from the MMPI: Sensitivity and specificity with Vietnam veterans. *Journal of Traumatic Stress*, 9 (3), 643-650.

SHONDRICK, D.D., BEN-PORATH, Y.S. e STAFFORD, K. (1992). *Forensic assessment with the MMPI-2: Characteristics of individuals undergoing court-ordered evaluations*. Relazione presentata al 27° Simposio annuale su "Recent Developments in the Use of the MMPI (MMPI-2)", Minneapolis, MN.

SHORES, A. e CARSTAIRS, J.R. (1998). Accuracy of the MMPI-2 computerized Minnesota Report in identifying fake-good and fake-bad response sets. *The Clinical Neuropsychologist*, 12, 101-106.

SIEGEL, J.C. (1996). Traditional MMPI-2 validity indicators and initial presentation in custody evaluations. *American Journal of Forensic Psychology*, 14, 55-63.

SIEGEL, S.L. (2002). Typologies of sex offenders: A Minnesota Multiphasic Personality Inventory (MMPI) cluster analytic study. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 62 (9-B), 4236.

SIMMS, L.J., CASILLAS, A., CLARK, L.A., WATSON, D. e DOEBBELING, B.N. (2005). Psychometric evaluation of the restructured clinical scales of the MMPI-2. *Psychological Assessment*, 17, 345-358.

SINNETT, E.R., HOLEN, M.C. e ALBOTT, W.L. (1999). Profile validity standards for MMPI and MMPI-2 F scales. *Psychological Reports*, 84 (1), 288-290.

SIRIGATTI, S. e GIANNINI, M. (2000). Identificazione del comportamento distorsivo (faking good) con il MMPI-2: Caratteristiche psicometriche della scala S. *Bollettino di Psicologia Applicata*, 232, 61-69.

SIRIGATTI, S. e STEFANILE, S. (2012). *MMPI-2: Aggiornamento adattamento italiano*. Firenze: Giunti O.S. Organizzazioni Speciali.

SIRIGATTI, S., GIANNINI, M., LAURA-GROTTO, R. e GIANGRASSO, B. (2002). Classificare i detenuti con il MMPI-2: il sistema di Megargee. Primi dati su un campione italiano. *Bollettino di Psicologia Applicata*, 238, 17-23.

SIVEC, H.J., HILSENROTH, M.J. e LYNN, S.J. (1995). Impact of simulating borderline personality disorder on the MMPI-2: A costs-benefits model employing base rates. *Journal of Personality Assessment*, 64, 295-311.

SIVEC, H.J., LYNN, S.J. e GARSKE, J.P. (1994). The effect of somatoform disorder and paranoid psychotic role-related dissimulations as a response set on the MMPI-2. *Assessment*, 1, 69-81.

SMITH, S.R., HILSENROTH, M.J., CASTLEBURY, F.D. e DURHAM, T.W. (1999). The clinical utility of the MMPI-2 Antisocial Practices Content Scale. *Journal of Personality Disorders*, 13, 385-393.

SPIRO, A. III, BUTCHER, J.N., LEVENSON, M.R., ALDWIN, C. e BOSSÉ, R. (2000). Change and stability in personality: A 5-year study of the MMPI-2 in older men. In J.N. Butcher (a cura di), *Basic sources for the MMPI-2*. Minneapolis, MN: University of Minnesota Press.

STEFFAN, J.S., CLOPTON, J.R. e MORGAN, R.D. (2003). An MMPI-2 scale to detect malingered depression (*Mad*). *Assessment*, 10, 382-392.

STEIN, L.A.R. e GRAHAM, J.R. (1999). Detecting fake-good MMPI-A profiles in a correctional facility. *Psychological Assessment*, 11, 386-395.

STEIN, L.A.R. e GRAHAM, J.R. (2005). Ability of substance abusers to escape detection on the Minnesota Multiphasic Personality Inventory-Adolescent (MMPI-A) in a juvenile correctional facility. *Assessment*, 12 (1), 28-39.

STEIN, L.A.R., GRAHAM, J.R. e WILLIAMS, C.L. (1995). Detecting fake-bad MMPI-A profiles. *Journal of Personality Assessment*, 65, 415-427.

STORM, J. (2003). The development of a scale to detect coached malingering on the MMPI-2. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 63 (10-B), 4926.

STORM, J. e GRAHAM, J.R. (1998). *The effects of validity scale coaching on the ability to mangle psychopathology*. Relazione presentata al 33° Simposio annuale su "Recent Developments in the Use of the MMPI-2", Clearwater, FL.

STORM, J. e GRAHAM, J.R. (2000). Detection of coached general malingering on the MMPI-2. *Psychological Assessment*, 12, 158-165.

STRASSBERG, D.S. e RUSSELL, S.W. (2000). MMPI-2 content scales validity within a sample of chronic pain patients. *Journal of Psychopathology and Behavioral Assessment*, 22, 47-61.

STRONG, D.R., GREENE, R.L. e SCHINKA, J.A. (2000). A taxometric analysis of MMPI-2 infrequency scales [*F* and *F(p)*] in clinical settings. *Psychological Assessment*, 12, 166-173.

STROUPE, M.A. (1999). The effects of *K*-correction on the validity of MMPI-A. *Dissertations International: Section B: The Sciences and Engineering*, 59 (10-B), 5615.

TOYER, E.A. e WEED, N.C. (1998). Concurrent validity of the MMPI-A in a counseling program for juvenile offenders. *Journal of Clinical Psychology*, 54:395-399.

- TSUSHIMA, W.T. e TSUSHIMA, V.G. (2001). Comparison of the fake bad scale and other MMPI-2 validity scales with personal injury litigants. *Assessment*, 8, 205-211.
- VEITH, W.T. (1995). Use of the MMPI malingering indices to differentiate type of claim and employment status in workers' compensation claimants. *Dissertation Abstracts International*, 56, 0539.
- VIGLIONE, D.J., FALS-STEWART, W. e MOXHAM, E. (1995). Maximizing internal and external validity in MMPI malingering research: A study of a military population. *Journal of Personality Assessment*, 65, 502-513.
- WALLACE, G.D. (1995). The development and cross-validation of a malingering scale for the Minnesota Multiphasic Personality Inventory-2. *Dissertation Abstracts International*, 55, 3030.
- WARD, L.C. (1997). Confirmatory factor analyses of the Anxiety and Depression Content Scales of the MMPI2. *Journal of Personality Assessment*, 68, 678-691.
- WEED, N.C. (1993). An evaluation of the efficacy of MMPI-2 indicators of validity. *Dissertation Abstracts International*, 53, 3800.
- WEED, N.C. e HAN, K. (1992). *Is K correct?* Relazione presentata al 27° Simposio annual su "Recent Developments in the Use of the MMPI", Minneapolis, MN.
- WEED, N.C., BEN-PORATH, Y.S. e BUTCHER, J.N. (1990). Failure of Weiner and Harmon Minnesota Multiphasic Personality Inventory (MMPI) subtle scales as personality descriptors and as validity indicators. *Psychological Assessment*, 2, 281-285.
- WEINER, L.R. (1997). The presence of posttraumatic stress disorder in adult, male sex offenders as measured by the Keane and Schlenger scales of the MMPI-2: The implication for addictions theory. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, 57 (8-B), 5349.
- WEIS, R., CROCKETT, T.E. e VIETH, S. (2004). Using MMPI-A profiles to predict success in a military style residential treatment program for adolescents with academic and conduct problems. *Psychology in the Schools*, 41, 563-574.
- WETTER, M.W. e DEITSCH, S.E. (1996). Faking specific disorders and temporal response consistency on the MMPI-2. *Psychological Assessment*, 8, 39-47.
- WETTER, M.W., BAER, R., BERRY, D.T.R. e REYNOLDS, S. (1994). The effect of symptom information on faking on the MMPI-2. *Assessment*, 1, 199-207.
- WETTER, M.W., BAER, R.A., BERRY, D.T.R., ROBINSON, L.H. e SUMPTER, J. (1993). MMPI-2 profiles of motivated fakers given specific symptom information: A comparison to matched patients. *Psychological Assessment*, 5, 313-323.
- WETTER, M.W., BAER, R.A., BERRY, D.T.R., SMITH, G.T. e LARSEN, L.H. (1992). Sensitivity of MMPI-validity scales to random responding and malingering. *Psychological Assessment*, 4, 369-374.
- WETZLER, S. e MARLOWE, D. (1990). "Faking bad" on the MMPI, MMPI-2, and Millon-II. *Psychological Reports*, 67, 1117-1118.

WILLIAMS, C.L. e BUTCHER, J.N. (2000). *Essentials of MMPI-2 and MMPI-A Interpretation*. Minneapolis, MN: University of Minnesota Press.

WILLIAMS, C.L. e BUTCHER, J.N. (2011). *A Beginner's Guide to The MMPI-A*. New York: American Psychological Association.

WILLIAMS, C.L., BUTCHER, J.N., BEN-PORATH, Y.S. e GRAHAM, J.R. (1992). *MMPI-A content scales: Assessing psychopathology in adolescents*. Minneapolis, MN: University of Minnesota Press.

WISE, E.A. (1996). Diagnosing posttraumatic stress disorder with the MMPI clinical scales: A review of the literature. *Journal of Psychopathology and Behavioral Assessment*, 18, 71-82.

WISE, E.A. (2002). Relationships of personality disorders with MMPI-2 malingering, defensiveness, and inconsistent response scales among forensic examinees. *Psychological Reports*, 90, 760-766.

WRIGHT, P., NUSSBAUM, D., LYNETT, E. e BUIS, T. (1997). Forensic MMPI-2 profiles: Normative limitations impose interpretive restrictions on both men and women. *Journal of Forensic Psychology*, 15 (94), 19-37.

YANAGIDA, E. e CHIN, W.J. (1993). MMPI profiles of child abusers. *Journal of Clinical Psychology*, 49, 569-576.